


Fox Cushion chart (top left)



Fox Cushion chart (top right)

Fox Cushion key

✗ Cross stitch in two strands

	DMC	Anchor	Madeira	
■	317	400	1714	dark grey
J	415	398	1802	grey
∞	712	926	2101	cream
●	720	326	309	copper
☆	721	324	308	light copper
*	762	234	1804	light grey
■	3799	236	1713	very dark grey
○	3865	2	2403	natural white

✗ Backstitch in one strand

—	310	403	2400	black
—	900	334	208	orange

✗ Lazy daisy stitch in two strands

—	3607	87	708	pink
---	------	----	-----	------

✗ French knots in one strand

●	310	403	2400	black
---	-----	-----	------	-------

✗ Josy Rose sequins

●	04284			glossy vanilla
---	-------	--	--	----------------

STITCH COUNT 141 high x 140 wide

DESIGN AREA 14 HPI (28-count evenweave) – 25.5x25.5cm (10x10in)

SKEINS NEEDED 2x310 (black), 2x721 (light copper), 2x762 (light grey), 2x3865 (natural white)

STITCHED BY Glenda Dickson

This design was stitched using DMC stranded cotton and Josy Rose sequins



Shopping list

- ✗ Fabric Flair 14-count Wild Meadow (Reflected Gradient) aida measuring 36x36cm (14¼x14¼in) from Sew-it-All*
- ✗ Stranded cotton as listed in the key
- ✗ Size 24 tapestry needle
- ✗ Sequins as listed in the key from Josy Rose*
- ✗ Backing fabric, piping and cushion pad to fit of your choice from local stores

Thread & fabric cost
Approximately £24

*For stockists see page 90



make a cushion

- 1 Start by trimming** your finished stitched piece, making sure you leave a 1.5cm (½in) border around the sides.
- 2 Cut two pieces** of backing fabric measuring 23x28cm (9x11in) for the envelope-opening back panel. Next, you'll want to sew a 2cm (¾in) double hem along one long edge of each piece.
- 3 Pin your piping** to the front of your stitched piece, with the sewing on the piping aligned with a 1cm (½in) seam allowance.
- 4 With right sides** facing, pin one back panel at the top of the stitched front panel and the other at the bottom, so that the two pieces overlap each other to create the envelope opening.
- 5 Pin and sew** all the way around the edge of the cushion, using a 1cm (½in) seam allowance. Trim the corners, and then turn through to the right side and press. Insert your cushion pad to finish.



Linda READER PANEL

“I am enjoying backstitch at the moment so this design is perfect for me. This design is interesting and once completed I will hang it in my new house when I move. I'd put this in a white frame to complement the design.”